BARSANOV, G.P.; KUMSKOVA, N.M.; CHEPIZHNYY, K.I.

New find of tapiolite. Trudy Min. muz. no.15:189-193 '64.

(MIRA 17:11)

ZDORIK, T.B.; KUPRIYANOVA, 1.I.; KUMSKOVA, N.M.

Crystalline orthite from some metasomatic formations in Siberia.

Trudy Min. muz. no.15:208-214 '64. (MIRA 17:11)

GALAKTIONOV, V.D., kand.geol.-min.nauk; GORETSKIY, G.I., doktor geol.-min. nauk; DURANTE, V.A., kand.tekhn.nauk; ZUBKOVICH, M.Ye., kand.geol.-min.nauk; KAVEYEV, T.S., kand.geol.-min.nauk; POKROVSKAYA, N.M., kand.geol.-min.nauk; BRASHNINA, A.N., inzh.; YEGOROV, S.N., inzh.; KUMSKOVA, O.G., inzh.; LOVETSKIY, Ye.S., inzh.; MAMENKO, G.K., inzh. MILIKHIKER, Sh.G., inzh.; SINYAKOV, N.P., inzh.; SERGEYEVA, N.A., red.; VORONIN, K.P., tekhn.red.

[Geology of the Volga-Don Canal region] Geologiia raiona sooruzhenii Volgo-Dona. Pod red. V.D.Galaktionova. Moskva, Gos.energ.izd-vo. 1960. 416 p. fold.col.map. (MIRA 13:10)

1. Moscow. Vsesoyuznyy proyektno-izyskatel skiy i nauchno-issle-dovatel skiy institut "Gidroproyekt" imeni S.Ya.Zhuk.
(Volga-Don Canal region--Geology)

ISERLE, J.; KUMSTAT, Z. Retrobulbar injections of hyaluronidase as a method increasing safety in cataract surgery. Cesk. ofth. 16 no.2:126-130 Mr '60 1. Coni klinika university v Brne, predmosta prof. MUDr. J. Vanysek. (CATARACT EXTRACTION) (HYALURONIDASE, ther.)

EAST CONTRACTOR OF THE CONTRAC

ANTON, Milan; KUMSTAT, Zdenek; RIEBEL, Otto

Unexpected blindness as a complication after extirpation of the lacrimal sac. Cesk. ofth. 17 no.3:192-194 My '61.

1. Ocni klinika lekarske fakulty J. Ev. Purkyne v Brne, prednosta prof. MUDr. Jan Vanysek, doktor lek. ved.

(LACRIMAL APPARATUS surg) (BLINDNESS etiol)

RIEBEL, Otto; ANTON, Milan; KUMSTAT, Zdenek

An unusual case of self-mutilation. Cesk. ofth. 17 no.4/5:396-397 J1 $^{7}61.$

1. Ocni klinika lek. fak. University J. E. Purkyne predn. prof. MUDr. Jan Vanysek, Dr. Sc.

(SELF-MUTILATION)

KUMSTAT, Zdenak; POSPISIL, Leopold; DVO:AK, Karel; PROCHAZKA, Bohumir

Mycotic infections in ophthalmology. 1. Clinical, histopathological and serological manifestations in experimental Candida keratomycoses. Cesk. oftal. 18 no.1:17-21 Ja '62.

1. Ocni klinika, predn. prof. MUDr. Jan Vanysek, DrSc., mikrobiol. laborator derm. kliniky, prednosta prof. MUDr. J. Horacek, a II. patologickanatomicky ustav lekarske fakulty University J.Ev.Purkyne v Brne, prednosta prof. MUDr. M. Dluhos.

(MONILIASIS experimental) (CONNEA diseases)

DVORAK, K.; KUMSTAT, Z.—

Experimental Candida keratomycosis in rabbits. Histopathological and histochemical study. Cesk. oftal. 19 no.1:55-60 Ja '63.

1. II patologickanatomicky ustav lekarske fakulty UJEvP v Brne, prednosta prof. dr. M. Dluhos Ocni Klinika lekarske fakulty UJEvP v Brne, prednosta prof. dr. J. Vanysek.

(MONILIASIS) (KERATOSIS)

POSPISIL, L.; KUMSTAT, Z.

Actinomycotic canaliculitis. Cesk. oftal. 19 no.2:124-126 Mr '63.

1. Mikrobiologicka laborator dermatovonerologicke kliniky, prednosta prof. dr. J. Horacek, a coni klinika lekarske fakulty UUEvP v Brne, prednosta prof. J. Vanysek, DrSc.

(LACRIMAL AFPARATUS) (ACTINOMYCOSIS)

KUMSTAT, Zd.; POSPISIL, L.

Aspertillosis of the conjunctiva and lacrimal canalicult. Cesk.

oftal. 19 no.2:127-129 Mr 163.

1. Ooni klinika, prednosta prof. dr. J. Vanysek, DrSc. a mikrobiologicka laborator dermatologicke kliniky, prednosta prof. dr. J. Raracek, lekarske fakulty UNEVP v Brns.

(ASPERGILLOSIS) (CONJUNCTIVITIS) (LACRIMAL APPARATUS)

ANTON, M.; KUMSTAT, Z.; REHUREK, J.


Wegener's gramulomatosis. Cesk. oftal. 21 no.6:484-490
N '65.


1. Ocni klinika lekarske fakulty University J.E. Purkyne
v Brne (prednosta prof. dr. J. Vanysek, DrSc.).


KUMUKOV, SEYFUDIN KUMUKOV, Seyfudin Salikhovich The state of the s [Equipment and machinery for collective farms; a practical manual


SALIKHOVICH

for commodity experts] Oborudovanie i mashiny dlia kolkhozov; prakfor commodity experts Oborndovanie 1 magning dirac distributions 1957. 122 p. ticheskoe posobie dlia tovarovedov. Hoskva, TSentrosoiuz, 1957. 122 p. (MIRA 11:3) (Agricultural machinery)









KUMURDZHI, M.I.

Classed index of article puplished in transactions of the All-Union Surveying Research Institute from collection No.1 to 50, 1934-1963. [Trudy]VNIMI no.50:386-415 '63. (MIRA 17:10)

43352 8/170/62/005/012/005/008 B104/B186

21.5400

AUTHORS:

Broder, D. L., Kumuzov, A. A., Levin, V. V., Frolov, V. V.

TITLE:

Using the method of removal cross sections for calculating a shield that contains no hydrogen

PERIODICAL: Inzhenerno-fizicheskiy zhurnal, v. 5, no. 12, 1962, 65 - 70


TEXT: Attenuation of a monoenergetic neutron flux in Al and in mixtures of Al containing equal portions of Pb and Fe was measured; also attenuation in an assembly of Al plates with Fe, Pb, plexiglass or polyethylene blocks placed between source and detector. The neutron sources used were the reactions $D^2(D,n)$ He ($E_0=4$ MeV), $T^3(D,n)$ He ($E_0=14.91$ MeV) and a U^{235} disk exposed to a thermal neutron flux extracted from the reactor of the first atomic power plant in the world. A fission chamber with Th was used as detector. Results: (1) the removal cross section method can be used to calculate a shield in which light substances are used instead of water; (2) in most cases the removal cross section depends on the moderator only slightly; (3) the removal cross section Card 1/2

Using the method of removal ... \$\frac{170}{62}\frac{005}{012}\frac{005}{008}\$

reaches saturation at relatively small distances from the source; (4) the measurements with a U²³⁵ fission chamber and those made with a Th²³² fission chamber are consistent for boron carbids and water. (5) At a sufficiently large distance from the source their coiprocal of the relaxation length is equivalent to the removal cross section of any given substance. There are 3 figures and 1 table.

SUBMITTED: July 30, 1962

Card 2/2



KUMYKOV, Tugan Khabasovich, kand. ist. nauk; N. KTOKOV, M.G., red.;
BARGI, T.M., tekhn. red.

[Drawing the Northern Caucasus into the all-Mussian market in the 19th century; based on materials of Kabardino-Balkaria, Northern Ossetia and Chochen-Ingushia]Vovlechenie Severnogo Kavkaza vo vserossiiskii rynok v XIX v.; po raterialam Kabardino-Balkarii Severnoi Osetii i Checheno-Ingushetii. Nal'chik, Kabardino-Balkarskoe knizhnoe izd-vo 1962. 199 p. (MIRA 15:11)

l. Zaveduyushchiy sektorom istorii Kabardino-Balkarskogo nauchno-issledovatel'skogo instituta (for Kumykov).

(Caucasus, Northern--Commerce)

SMIRNOV, G.N.; KUMYSH, A.Z.; VOROB'YEV, V.V.

[Improvement of safety equipment, dust removing ventilation, and waste removal from Ch-460-L combing machines] Usovershenstvovanie sredstv tekhniki bezopasnosti, obespylivaiushchaia ventiliatsiia i udalenie ugarov na chesal'nykh mashinakh Ch-460-L. Ivanovo, 1963. 39 p.

(MIRA 17:5)

1. Ivanovo. Vsesoyuznyy nauchno-issledovatel'skiy institut okhrany truda VTsSPS.

1 2300 1573

29052 \$/125/61/000/010/012/014 D040/D112

AUTHOR:

Kumysh, I.I.

TITLE:

Amendment of technical specifications for AN-26 flux

PERIODICAL: Avtomaticheskaya svarka, no. 10, 1961, 90

TEXT: Electrically melted low-silicon PH-26 (AN-26) flux for welding austenitic chrome-nickel steel is produced in accordance with the TY (TU) of 1958 of the Institut elektrosvarki (Electric Welding Institute), and has the following composition: 30-32% SiO₂, 5-6.5% CaO, 16-18% MgO, 2.5-3.5%

Mno, 20-22% Al₂O₃, 20-24% CaF₂, 1.5% FeO, 0.07% S and 0.06% P. Each batch of flux has to be chemically analyzed for all the above components. It became obvious at the consumer plants that the carbon content in the AN-26 flux must be regulated as well. It may vary between 0.01 and 0.7%, depending on the conditions of melting. If the melting technology in furnaces with a carbon lining is not adhered to, e.g. if the bottom or lining of the furnace used is partly destroyed, or if the flux is deoxidized by graphite or coke, then the carbon content of the flux increases. Flux with increased

Card 1/2

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000927520006-0

29052 S/125/61/000/010/012/014 D040/D112

Amerdment of technical ...

carbon content corbonizes weld metal; this drastically reduces the latter's resistance to intercrystalline corrosion. In view of this, the Electric Welding Institute has introduced an amendment to the TU of 1958, limiting the maximal permissible carbon content to 0.05%. Flux with a higher carbon content is to be rejected. The carbon content is to be determined by the same means as in metals. [Abstracter's note: essentially complete translation].

Card 2/2

37673 \$/125/62/000/004/012/013 D040/D113

12200

AUTHOR:

Kumyoh, I.I.

TITLE:

ANF-16 flux for machine welding of stainless steels

PERIODICAL: Avtomaticheskaya svarka, no. 4, 1962, 89-90

TEMP: One fill-16 (AMF-16) flux was developed in an attempt to improve the transfer of alloy elements from the welding wire into the welds and to improve the weld shape in welding "16-8" steels. The fid-26 (AM-26) flux with 30-52% SiO, and the fide-5 (AMF-5) flux with 80% CaP, and 20% NaF used hitherto produce a slag crust which is difficult to remove from welds containing V. We and Ti, and a bad weld shape in welding with heavy current and slow speed. The composition of the AMF-16 is: 55% CaF, 50% Al₂O₃, 7% MaF, 7% MgO and 3% SiO₂. It was compared with AM-26, AMF-5, and AHP-14 (AMF-14) (16% SiO₂, 65% CaF₂, 10% Al₂O₃, 6% MgO, 3% CaO) in welding experiments with two welding wires with different Ti content. Welds produced with the

Card 1/2

2次,这个分别的大型的自然企图器就是是,**国际国际的**部分,但这种自然的自然的企业的企业的对象。

3/125/62/000/004/012/013 D040/D113

ANF-16 flux for machine welding ...

ANF-16 flux contained more Ti, had a higher resistance to intercrystalline corrosion after holding at 650°C, and a higher resistance to hot cracking. However, the shape of welds made with ANF-16 flux was not quite as good as that of welds made with ANF-14. It is concluded that the ANF-16 must be tested in welding stainless steels with two-phase and single-phase structure welds, and it is expected that in some cases the ANF-16 will prove better than AN-26, e.g. in welding 1% 18/4 9T(1Kh18N9T) steel with FN 606 (EI606) wire. The ANF-16 flux was developed under the supersivion of Doctor of Technical Sciences B.I.Medovar. There are 2 figures and 2 tables.

Card 2/2

MEDOVAR, B.I., doktor tekhn.nauk; CHEKOTILO, L.V., inzh.; KUMYSH, I.I., inzh.

Fused carbide fluxes for the welding of austenitically stable steels and alloys. Svar. proizv. no.8:19 Ag '62. (MIRA 15:11)

1. Institut elektrosvarki im. Ye.O.Patona.
(Flux (Metallurgy)) (Steel, Stainless—Welding)

ACCESSION NR: AP4013289

\$/0135/64/000/002/0006/0007

AUTHOR: Kumy*sh, I. I. (Engineer); Lutsyuk-Khudin, V. A. (Engineer); Sayenko, V. Ya. (Engineer); Antonets, D. P. (Engineer)

TITLE: Automatic welding of circular seams of pressure vessels of two-layer steel

SOUNCE: Svarochnoye proizvodstvo, no. 2, 1964, 6-7

TOPIC TAGS: welding, automatic welding, two-layer steel, two-layer steel welding, circular seam welding, 09G2T + 1Kh18N9T steel, alloy welding

ABSTRACT: The article describes the technology of the mechanized welding of twoply plate metal with access to the seam from one side. In collaboration with the
Institut clektrosvarki im. Ye. O. Patona (Electric welding Institute), the authors
produced stamp-welded pressure vessels of two layer steel. Mechanized welding was
used on the circular seams of the vessels, 1000 mm in diameter. The two-layer
steel 09G2T+1Kh18N9T, 100 mm thick, was produced by the electro-slag welding
method developed by the Electric Welding Institute and patented in November of
1959. The finishing of the ends of the circular butt weld of the vessel and the
sequence of laying the individual beads are shown in Fig. 1 of the Enclosure.
First, the plating layer of the steel was welded. The root seam was welded, with
concluded the steel was welded. The root seam was welded, with

ACCESSION NR: AP4013289

EP156 wire, in the vertical position, and then automatically welded, using an Sv-0410119N9 wire, 3 mm in diameter, with ANF-14 flux. Welding conditions: Iweld = 280-300 a; velectrode = 83 m/hour; Uarc = 34-36 v; vweld = 25 m/hour. In order to prevent the appearance of flaws in a weld alloyed with chromium and nickel, foreign practice recommends the use of Armco iron electrodes. With manual arc welding, the use of these electrodes gives a positive effect since, because of the shallow fusion, the transfer of chromium and nickel from the austenitic weld to the transition layer is relatively small. In order to achieve the same results with flux-covered welding, a type A Armco iron wire was used in conjunction with a carbon oxidizing flux (AN348), while, in order to reduce penetration, welding was carried out with a vertical electrode, moving it from the zenith position to 60mm opposite to the direction of rotation of the spherical vessel. In this way the chromium and nickel content in the transitional weld did not exceed 2.5 and 1.6%, respectively. All seams welded with low-carbon electrodes were checked by ultrasonic inspection; the austenitic welds - by gammagraph inspection. "The work was carried out under the direction of Dr. of Tech. Sci. B. I. Medovar." Orig. art. has: 3 tables and 4 figures.

ASSOCIATION: ZHDANOVSKIY ZAVOD TYAZHELOGO MASHINOSTROYENIYA (Zhdanov Heavy

Card 2/43

ACC NR. AP6006334 SOURCE CODE: UR/0413/66/000/002/0057/0057

AUTHOR: Paton, B. Ye.; Dudko, D. A.; Medovar, B. I.; Lutsyuk-Khudin, V. A.;

AUTHOR: Paton, B. Ye.; Dudko, D. A.; Medovar, B. I.; Lutsyuk-Khudin, V. A.; Sayenko, V. Ya.; Kumysh, I. I.; Andrianov, G. G.; Karpov, V. F.; Dovzhenko, N. F.; Antonets, D. P.; Kuzema, I. D.;

ORG: none

TITIE: Method of producing composite rolled stock. Class 21, No. 177985 [announced by Electric Welding Institute im. Ye. O. Paton (Institut Elektrosvarki)]

SOURCE: Izobreteniya, promyshlennyye obraztay, tovarnyye znaki, no. 2, 1966, 57

TOPIC TAGS: welding, metal rolling, sandwich rolling

ABSTRACT: An Author Certificate has been issued for a method of producing composite rolled metal by using a tillet consisting of ingots or plates welded together by electroslag welding. To have on stainless steel, lower the thickness of the clod layer, and simplify the welding procedure, it is suggested that the process be begun with a heterogeneous plate made from prevelded and prerolled smaller billets having been a carbon steel and clad layer, and then adding additional ingots or plates to produce sandwich rolled stock. [LD]

SUB CODE: 13/ SUBM DATE: 11Apr63 ORIG: none/ OTH REF: none/

Card 1/1 ULF

UDC: 621.791.793:621.771.2-419.5

WUMYSH, I. S.

USSR/Radio Stations
Radio Rroadcasting

"The Advanced Radio Center," I. S. Kumyah, Chief,
Odessa Radio Center, 2 pp

"Vest Svyazi - Elektro-Svyaz'" No 5 (98)

Briefly describes the history of the Odessa Radio
Center which grew from one-room broadcasting station
in 1923 to ome of the leading radio centers in
present-day USSR.

657103

WSR/Engineering - Diesel installations

Card 1/1

Pub. 133 - 9/20

Authors

: Gol'dfel'd, S. M., and Kumysh, I. S.

Title

* Technical servicing of Diesel installations

Periodical

1 Vest. svyazi 10, page 18, Oct 54

Abstract

The editorial reports on research conducted by a Radio Receiving Center, in coordination with the Odessa Electrotechnical Institute of Communication, cencerning the improvement of technical servicing and exploitation of Diesel installations which supply power to radio stations.

Drawing.

Institution :

• • •

Submitted

. . .

Sov 133/58-9-12/29

AUTHORS: Snezhko, P. F. and Kumysh, I. S. (Engineers)

TITLE: The Influence of an Oxidising Roasting and Size Distribution of Titanium Concentrates on the Titanium Recovery (Vliyaniye okislitel'nogo obzhiga i sitovogo sostava titanovykh kontsentratov na izvlecheniye titana)

PERIODICAL: Stal', 1958, Nr 9, pp 808-812 (USSR)

ABSTRACT: The process of roasting of titanium concentrates (sulphur, TiO₂ and FeO contents) was investigated in a laboratory and an industrial kiln. It is concluded that under industrial conditions the quality of roasting can be rapidly estimated by the increase in weight. The influence of roasting on the titanium recovery and the consumption of aluminium was tested on pilot (100 kg) and industrial (5600 kg) heats. It is also concluded that: 1) During oxidising roasting of titanium concentrates the proportion of ferrous oxide decreases from 36-37% to 12-14% and the weight of the concentrates simultaneously increases. 2) The oxidation of

Card 1/2

の国際に関係の対象に対象の関係を対象の対象を対象に対象の対象の対象の対象を対象の対象の対象を対象を

Sov/133/58-9-12/29

The Influence of an Oxidising Roasting and Size Distribution of Titanium Concentrates on the Titanium Recovery

concentrates increases the recovery of titanium to 76.7% and decreases the consumption of aluminium per ton of 20% ferro-titanium to 407 kg. 3) Optimum results are obtained for concentrates of a size 0.075 - 0.30 mm (the concentrates used on the Lipetsk Works contain 80% of this fraction). There are 5 tables and 6 figures.

ASSOCIATION: Lipetskiy zavod ferrosplavov i TsNIIChM (Lipetsk Ferroalloy Works and TsNIIChM)

Card 2/2

10.3100

78186

SOV/133-60-3-11/24

AUTHOR:

Kumysh, I. S. (Engineer)

TITLE:

Utilization of Perovskite Concentrate for Smelting

Ferrotitanium

PERIODICAL:

Stal', 1960, Nr 3, pp 230-233 (USSR)

ABSTRACT:

The production of perovskite concentrate with 46-49% TiO, enables large-scale application of this new raw material, as well as adoption of the technology

of smelting standard ferrotitanium as practiced at Lipetsk Plant of Ferroalloys (Lipetskiy zavod ferrosplavov--LZF) after a method developed by the Central Scientific Research Institute of Ferrous Metallurgy (TsNIIChM). The process of producing perovskite concentrate was developed under the

supervision of G. I. Kontorovich and the technology of making Ti alloys under the supervision of V. A. Bogolyubov. At Lipetsk Plant the following participated in the experimental work: V. P. Perepelkin of

Card 1/6

Utilization of Perovskite Concentrate for Smelting Ferrotitanium

78186 sov/133-60-3-11/24

the All-Union Scientific Research Institute for Ferrous Metallurgy, G. P. Osipov from the plant, and P. F. Snezhko, I. V. Lugovtsev, D. Z. Khryukin, P. P. Kazakov, et al. The perovskite concentrate contains 80-90% perovskite of the following composition (%):

T102	S10 ₂	CaO	Fe ₂ 0 ₃	A1 ₂ 0 ₃	(Nb, Ta) ₂ 0 ₅
56.0	0.12	37.2	1.60	0.80	0.64
Mn	$\Sigma TR_2 O_3$	Na ₂ 0	к20	Mg	H ^S O
0.06	2.20	0.42	0.10	traces	0.32

At Afrikandsk Beneficiation Plant (Afrikandskaya obogatitel'naya fabrika) a ferrotitanium concentrate with about 60% Fe and 8% ${\rm TiO_2}$ is produced from

Card 2/6

perovskite ores by means of magnetic beneficiation.

Utilization of Perovpkite Concentrate for Smelting Ferrotitanium

78186 SOV/133-60-3-11/24

40% ferrotitanium may be produced from either perovskite concentrate or a mixture with ilmenite at a 3:1 50% perovskite concentrate instead of ilmenite does not require special equipment. However, in replacing to be preheated to 600-700° C, which calls for special equipment. Table 3 shows the composition of a concentrate only and a partial replacement by pervoskite concentrate with a possible increase of the TiO₂:Fe ratio in the charge. In melting standard ferrotitanium perovskite concentrate, the following ad-

ium from perovskite concentrate, the following advantages were observed: (1) Increase in Ti extraction; (2) decrease in specific Al consumption; (3) production of ferrotitanium with increased Ti content; (4) inspresence of 0.5-0.9% niobium in ferrotitanium, which might be utilized in steel alloying. The author

Card 3/6

。 1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1

Utilization of Perovskite Concentrate for Smelting Ferrotitanium

78186 SOV/133-60-3-11/24

Table 3. Changes in charge composition with increase in amount of perovskite conventrate. (A) Charge components and melting data; (B) amount of perovskite concentrate in Ti-bearing part of the enarge (\$\xi\$); (C) composition of charge, (kg): (D) ilmenite concentrate; (E) perovskite concentrate; (F) iron ore; (G) limestone; (H) mean content of TiO₂ in charge concentrates (\$\xi\$); (I) Fe content in charge (\$\xi\$); (J) CaO content in charge (\$\xi\$); (K) Ti content in metal (\$\xi\$); (L) Ti extraction (\$\xi\$).

Card 4 /6

Utilization of Perovskite Concentrate for Smelting Ferrotitanium

78186 SOV/133-60-3-11/24

Table 3.

А		В		
		0+	25	40
C DEF	and the second s	5600 40 480	4200 1400 470	3400 22(4) 9(3)
ж Ж		43,80 24, 0 9 4,77	44.18 22,73 5,12	45,19 21,86 8,02
L		27,10 71,80	29,43 77,24	29,60 75,83

^{*} Data pertain to ilmenite concentrate only

Card 5/6

Usilization of Porovskite Concentrate for Smelting Ferrotitanium

78186 SOV/133-60-3-11/24

recommends the installation of a reliable gas exhaust and purification system in both melting units and the area set aside for preparation of the charge. There are 2 figures; and 3 tables.

ASSOCIATION:

All-Union Scientific Research Institute of Ferrous

Metallurgy (TaNIIChM

Card 6/6

8/133/63/000/002/001/014 A054/A126

AUTHORS:

Bogolyubov, V.A., Candidate of Technical Sciences, Akhmedov, B.A.,

Kumysh, I.S., Laptev, V.K., Musa-Zade, M.M. - Engineers

TITLE:

Smelting tungsten steel in open-hearth furnaces by using alumino-

thermic scheelite briquettes

PERIODICAL: Stal', no. 2, 1963, 126 - 129

TEXT: According to a recommendation by TaNIIChM the 35 XT2CR (35KhG2SV) steel used for drilling pipes should have a 65 kg/mm² flow limit and contain: 0.32 - 0.38% C, 1.4 - 1.8% Mn, 0.4 - 0.7% Si, 0.6 - 0.9% Cr, 0.25 - 0.40 W and maximum 0.04% P and S. To establish the most suitable technology for the tungsten-alloyed low-carbon steel, three methods were tested, the steel being alloyed 1) with conventional ferrotungsten (73% W), 2) with a chrome-tungsten master alloy (23 - 29% W), according to the Kirovskiy zavod (Kirov Plant) method and 3) in accordance with the TaNIIChM recommendation, by omitting the use of ferro-alloys in alloying, and by alloying the metal directly with tungsten-containing minerals. The first method ensured a tungsten utilization of 38.3% (re-

Card 1/3

Smelting tungsten steel in open-hearth

9/133/63/000/002/001/01/ A054/..126

lated to the liquid metal); the second 36.3 - 59.2%; the third method was found to be the most suitable, therefore a complete technology for the direct alloying method was established. Partly scheelite (CaO · WO₃) containing aluminothermic briquettes and partly wolframite were used in the tests. The 5 experimental compositions of scheelite briquettes [produced at the Novolipetskiy metallurgicheskiy zavod (Novolipetsk Metallurgical Plant)] contained between 61.08 and 69.82% WO3, and were found more adequate for this process than wolframite. The briquettes were partly added to the melt, partly to the ladle. The heat capacity of the scheelite briquettes varied between 507 and 590 cal/kg. The smelting process is simple and until the moment of tapping closely follows the pattern of low-alloy steel smelting; the time required is shorter; if the smelting process is disturbed for any reason, no tungsten is wasted; the briquettes are simply not fed to the ladle and a conventional "20" grade steel will be produced. The steel alloyed with scheelite briquettes can be used for tubes without any trouble, only the tubes have to undergo a special heat treatment in compartment or roller-type furnaces, to ensure the FOCT(GOST) 631-57, 635-57, 633-50 requirements. The heat treatment involves normalization at 850 - 950 c for 3 - 8 1/2 minutes, annealing at 630 - 670°C (2 1/2 - 3 1/2 minutes heating).

Card 2/3

Smelting tungsten steel in open-hearth

8/133/63/000/002/001/014 A054/A126

The tube steels made with scheelite briquettes and heat treated in this way have a slow limit of $67 - 70 \text{ kg/mm}^2$, a strength limit of $85 - 95 \text{ kg/mm}^2$ and a relative elongation of 10.8 - 13.0%. There is 1 table.

Card 3/3

· Processian 1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1995年,1

KUMYSH, I.S.

Smelting OI-3 pig iron in a cupola furnace and alloying with titanium in the ladle. Biul. tekh.-ekon.inform.Gos. nauch.-issl. inst. nauch. i tekh. inform. 18 no.9:3-4 S '65. (MIRA 18:10)

F''Z, 1.

The coal plow, its development, working methods, or eretion, and come includents of deined abroad in lengually lowing, n. 245 (This, Vol. 6, No. 6, Aug. 1976, Probe, Correspondents)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 4, No. 12, Lec. 1987. Uncl.

KUN, A.

KUN, A. Aid of the USSR in achievements of Rumanian textile industry and our prospects for technical development. (to be contd.) p. 328

Vol. 6, no. 10, Oct. 1955 INDUSTRIA TEXTILA Bucuresti, Rumania

So: Eastern European Accession Vol. 5 No. 4 April 1956

KUN, A.; ROMAN, V.

Assistance of the USSR in achievements of the Rumanian textile industry and our prospects for the technical development. II. p. 367.

INDUSTRIA TEXTILA. (Asociatia Stiintifica a Inginerilor si Tehnicienilor din Rominia si Ministerului Industriei Usoare) Eucuresti. Vol. 6, no.11,

Nov. 1955.


So. East European Accessions List Vol. 5, no. 9 September, 1956

KUN, A.

Assistance of the USSR in achievements of the Rumanian textile industry and our prospects for technical development. III. p. 422

INDUSTRIA TEXUILA, Bucuresti, Vol 6, No. 12, Dec. 1955

SO: East European Accessions List (EEAL) Library of Congress, Vol 5, No. 7, July, 1956




KUN, A.; ROLL, M.

Study of the Metalurgica, drawing frame with great tension. p. 12.

INDUSTRIA TEXTILA. (Asociatia Stiintifica a Inginerilor si Tehnicienilor din Rominia si Ministerului Industriei Usoare) Pucuresti. Vol. 7, no. 1, Jan.

1956.

So. East European Accessions List Vol. 5, No. 9 September, 1956



KUR, A.

For the right direction of economic activities in the textile industry. p. 3t.
(INDUSTRIA TEXTIA. Vol. 8, no. 1, Jan. 1957. Rumania)

SO: Monthly List of East European Accessions (ETAL) LG, Vol. 6, no. 7, July 1957. Uncl.

Page 79

KUN, A.

Notes on the textile industry in the Chinese People's Republic. p. 177.

(INDUSTRIA TEXTILA, Vol. 8, No. 4, Apr. 1957, Bucuresti, Rumania)

SO: Monthly List of East European Accessions (EEAL) -c. Vol. 6, No. 10, October 1957. Uncl.

KUN. A

Quality, the basic objective of the textile industry in the Chinese People's Republic. p.365. (STANDARIZAREA. Vol. 9, no. 8, Aug. 1957, Rumania)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 12, Dec. 1957 Uncl.

KUN, A.

TECHNOLOGY

PERIODICAL: BOR ES CIPOTECHNIKA. Vol. 8, no. 5, Oct. 1958

Kun, A. Processing Bieber's pannofix leathers by letting out the material. p. 139.

Monthly list of East European Accessions (EEAI) LC, Vol. 8, No. 2, February 1959, Unclass.

KUN, A.

Creat dimensions with small spindle speed, or great speed and small dimensions, p.200.


NEGOTRAL TEXTILA. (Asociatia Stiintifica a Incincriler di Vehnicicniler din Rominia si Kiristerul Industriei Uscare) Eucurepti, Rumania Vol. 10, no. 7, July 1959.

Monthly list of Eastern European Accession Index (MMA) ID vol. 8, No. 31 November 1959 Unel.

KUN, A., ing.


Ways of increasing production capacity in textile industry, and their effectiveness from the economic point of view. Ind text Rum 12 no.11:433-440 N '61.


1. Membru al Comitetului de redactie, "Industria textila,"



KUN, A., ing.

Fibers of cotton type, and important objective of the chemical fiber industry. Ind text Rum 14 no.4:145-151 Ap *63.






KUN, Aleksandr Edvinovich; PAPMEL', S.V., red.; SHALYGINA, G.A., tekhn.red.

[Safety measures for hunters] Tekhnika bezopasnosti na okhote.

Moskva, Gos.izd-vo "Fizkul'tura i sport," 1957. 79 p. (Bibliotechka
nachinaiushchego okhotnika, no.4) (MIRA 10:12)


(Hunting--Safety measures)



KUN, A.M.

"X-Ray Diagnosis of the Effects of Gunshot Wounds of the Brain." Thesis for degree of Dr. Medical Sci. Sub 31 May 49, Central Inst for the Advanced Training of Physicians.

Summary 82, 18 Dec 52, Dissertations Presented for Degrees in Science and Engineering in Moscow in 1949. From Vechernyaya Moskva. Jan-Dec 1949.



IRGER, I.M.; KUN, A.M.; SOSKIN, L.S. (Moskva)

Clinical aspects and surgical treatment of extensive malacian of the brain. Vop.neirokhir. no.5316-21 '61. (MIRA 14311)

l. Neyrokhirurgicheskoye otdeloniye Klinicheskoy ordona Lenina bol'nitsy imoni S.P. Botkina.
(BRAIN-SOFTENING)

KUN, Bela, okl, banyamernok

Automation possibilities of one preparation plants. Bany lap 93 nc. 2: 101-102. F 160

。 第一个大学的是是是是一个大学的,我们就是一个大学的,我们就是一个大学的,我们就是一个大学的,我们就是一个大学的,我们就是一个大学的,我们就是一个大学的人,不是一个大学的人,不

1. A Gyongyosoroszi Ercbanya Vallalat formernoke (Gyongyosoroszi).

KUN, Bela, okl. banyamernok

Conditions for automatic regulation of the grinding cycle at ball mills. Bany lap 94 no.3:158-164 Mr '61.

1. Gyongyosoroszi Ercbanya Vallalat fomernoke, Gyongyosoroszi.

(Ore dressing)

KUN, Bels, okl.banyamernok

Measuring the characteristics of the grinding cycle of ball grinder. Bany lap 94 no.5:306-310 My '61.

1. A Gyongyosoroszi Ercbanya Vallalat formernoke.

KUN, Bela, okl. banyamernok

Methods and equipments of the automatic regulation of the grinding circle of ball grinders. Bany lap 94 no.6:373-378 Je '61.

1. A Gyongyosoroszi Ercbanya Vallalat formernoke, Gyongyosoroszi.


KUW, Bela, okl.banyamernok

Automatization of the dosage of floating chemical agents. Bany lap 94 no.9:599-609 S '61.


1. A Gyongyosoroszi Erchbanya Vallalat fomernoke.

KUN, Dezso

75 years in the service of training railroad managers. Kozleked kozl 18 no.35:650-652 2 S 162.



Training of railroad officers. Vaguet 14 no.9:20-21 5 164.



KUN, E. 1948
(Dept. of Pharma, of the U. of Budapest)

" A Comparative Study of Bile-Salts in Regard to Their Influence on Mineral Metabolism."

Acta Medica Scandinavica 1948, -132/1(90-96)
Abst: Exc. Med. 11, Vol. 1113%, 4, p. 499

KUN, Endre, okleveles banyamernok; SZABC-PRISOCCI, Marks, chleveles vegyenz

Investigation of inorganic mineral contents in coal studge undergoing flotation. Bany lap 97 no.7:480-488 JI 164.

1. Mining Research Institute, Budapost.

KUN, Endre, okleveles banayamernok; PECSY, Tibor, okleveles prosessernok; SZABO=PELSOCZI, Marta, okleveles vegyesz

Present state of coal dressing in the Soviet Union and description of applied technological principles of greater significance. Beny lap 98 no.4:245-250 Ap '65.

1. Mining Research Institute, Budapest.

「「「「「「「「」」」」「「」」「「」」「「」」「「」」「「」」「」」「「」」「「」」「「」」「」」「」」「「」」「」」「」」「」」「」」「」」「」」「」」「」」「」」「」」「」」「」」「」」「」」「


SZEKELY, Jeno,; ANDRISKA, Jozsef, dr.,; AUBER, Laszlo, dr.,; CSONTOS, Matyas, dr.,; KADAR, Tibor, dr.,; KEDVESSY, Gyorgy, dr.,; KIRALY, Ilona, dr.,; KEMBHES, Janosne, KOVACS, Laszlo, dr.,; KUN, Ferenc,; LIGETI, Viktor,; SZENT, Miklosi, Pal.

Opening of rest home for pharmacists. Gyermekgyogyaszat 6 no.11:
121-122 Nov 55
(PHARMACY, economics,
rest homes for pharmacists in Hungary)

SZEKELY, Jeno,; ANDRISKA, Jozsef, dr.,; AUBER, Laszlo, dr.,; CSONTOS, Matyas, dr.,; KADAR, Tibor, dr.,; KEDVESSY, Gyorgy, dr.,; IRALY, Ilona, dr.,; KEMENES, Janosne,; KOVAGS, Laszlo, dr.,; KUN, Ferenc,; LIGHTI, Viktor,; SZENTMIKLOSI, Pal.

Document exhibition of pharmaceutic enterprises. Gyogyszeresz 10 no.8:141-142 1 Aug 55

(PHARMACY, in Hungary)



KELENTRY, Barna, technikaimunkars KUN, Ferenc

Recent data on the pharmacology of chelidonins and sanguinarins. Kiserletes Orvostudomany 11 no.6:591-598 December 1959.

1. Debreceni Orvostudomanyi Egyetem Gyogyszertani Intezete.
(ALKAIOIDS, pharmacol.)

ADIER-HRADECKY, Claudia; KELENTEY, Barna; technikai munkatars; KUN, Ferenc

On toxic and local-anesthetic properties of p-hydroxybenzoic acid esters. Kiserletes Orvostud. 12 no.6:567-571 D'60.

1. Debreceni Orvostudomanyi Egyetem Stomatologiai Klinikaja es Gyogyszertani Intezete.

(BENZOATES pharmacol)

(ANESTHETICS LOCAL pharmacol)

RUMANIA/Human and Animal Morphology - The Skeleton.

S

Aba Jour

: Ref Zhur Biol., No 5, 1959, 21530

Author

Corondan, Ch., Kun. Ch., Fitarau, V., Rottenberg,

N., Birzu, St., Elias, St., Florennu, M.

Inst

:

Title : Investigation of Tinctorial Reactions of the Fibril-

lar Bone Structure

Oric Pub

: Morfol. normala si patol., 1958, 3, No 1, 61-68

Abstract

: It has been shown in bone preparations decalcified with strong HNO3 containing formalin that the principal fibrillar network is stained with aniline blue (Mallory), is demonstrated by the Halle reaction, is not impregnated with silver, and is isotropic.

Certain fibrillar lameline give reactions of the best

Certain fibrillar lamellae give reactions of the basic type; others are fuchsinophilic, notably argentophilic, and are very weakly demonstrated by the Halle reaction, and are double refractile. The authors

Card 1/2

- 19--

. RUMMITA/Human and Animal Morphology - The Sleleton.

S

Abs Jour

: Ref Zhur Biol., No 5, 1959, 21530

believe that different characters of the lamellae correspond to different stages of evolution.

Card 2/2

FEK, I.

KUN, I. Investigation of weak points and statistical detection of defects in agricultural machines. p. 14.

"For Socialist Work" redal awarded to Gyula Ergirlus and Jossef Aron.

p. 18.
20 Conference on Manufacturing Machine Tools. p. 19.

Vol. 3, Ac. 1, Jen. 1956 JARKEVEK MEZCLAZDASAGI CEPEK. TECHNOLOGY Fudepest, Hungary

So: East European Accession, Vol. 5, Ro. 5, May 1956

KUN, 1.; LAMPEL, K.; MIKECZ, I.

KUM, I.; LAMMEL, K.; MIKECZ, I. Agricultural machines at the 1956 Leipzig International Fair. p. 173.

Vol. 3, No. 6, June 1956. JARMUVEK ME7OGAZDASAGI GEPEK TECHNOLOGY Budapest, Hungary

So: East European Accession, Vol. 6, No. 2, Feb. 1957

KUN, Ime

Course for leaders of astronomical sections. Term tud kozl 6 no.5 ϵ 237 My 162.

DEZSO, Janos (Budapest); BAZSO, Mihaly (Budapest); KUN, Istvan (Budapest)

Forum of innovators. Ujit lap 15 no.19:30 10 0 '63.

KUN, I.S.

Unipolar leads and their significance for the evaluation of Q and T waves in third lead. Ter. arkh., Moskva 24 no. 3:50-60 May-June 1952.

(CIML 22:4)

1. Of the Hospital Therapeutic Clinic (Director -- Prof. A. L. Myasnikov, Active Member AMS USSR), First Moscow Order of Lenin Medical Institute.

KUN, I. S.

Kun, I. S.

"Changes in electrocardiograms in single-pole recordings from the extremities of healthy persons and of those with infarcts of the myocardium of the roar wall." First Moscow Order of Lenin Medical Inst. imeni I. M. Sechenov. Moscow, 1956. (Dissertation for the Degree of Candidate in Medical Science)

So: Knizhnaya letopis', No. 25, 1956

LEBEDEVA, R.N.; KUN, I.S.; KOZLOV, I.Z.

Preparing patients for and the postoperative course in surgical treatment of cardiac aneurysms. Sov.med. 25 no.12:26-30 D '61.

1. Iz gospital'noy khirurgicheskoy kliniki I Moskcvskogo ordena Lenina meditsinskogo instituta (zav. kafedroy - deystvitel'nyy chlen AMI SSSR prof. B.V.Petrovskiy).

(HEART_HYPERTROPHY AND DILATATION) (ANEURYSMS)

KUN, I.S.

Electrovectorcardiographic correlations in multiple myocardial infarcts and myocardial infarcts complicated by hypertensicm.

Terap.arkh. 33 no.1:85-92 161. (MIRA 14:3)

l. Iz gospital'noy terapevticheskoy kliniki (dir. - deystvitel'nyy chlen AMN SSSR prof. A.L. Myasnikov) I Moskovskogo ordena
Lenina meditsinskogo instituta imeni I.M. Sechenova.

(HEART—INFARCTION) (HYPERTENSION) (VECTORCARDIOGRAPHY)

KUN, I.S. (Moskva)

Topical diagnosis of myocardial infarct. Klin.med. 39 no.1: 26-30 Ja *61. (MIRA 14:1)

l. Iz gospital'noy terapevticheskoy kliniki (dir. - deystvitel'nyy chlen AMN SSSR A.L. Myasnikov) I Moskovskogo ordena Lenina meditsinskogo instituta imeni I.M. Sechenova.

(HEART—INFARCTIOE) (VECTOCARDIOGRAPHY) (ELECTROCARDIOGRAPHY)

KUN, I.S.; KOZLOV, I.Z.

Useudoinfarction changes in the electrocardiogram following surgical treatment of cardiac aneurysm; experimental data. Kardiologiia 2 no.3:51-57 My-Je *62. (MIRA 16:4)


1. Iz gospital'noy khirurgicheskoy kliniki (dir. - deystvitel'nyy chlen AMN SSSR prof. B.V.Petrovskiy) i gospital'noy terapevticheskoy kliniki (dir. - deystvitel'nyy chlen AMN SSSR prof. A.L.Myasnilov) I Moskovskogo ordena Lenina meditsinskogo instituta imeni I.M.Sechenova.


(ANEURYSMS) (HEART-INFARCTION) (ELECTROCARDIOGRAPHY)

, 一种,在1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,1985年,198

Belt conveyors for open-pit coal mining. Rudar glasnik
no.1:22-40 '63.

1. Zavod za projektovanje i konstruisanje, Rudarski institut,
Becgrad.





。 "我们就是我们,我们就是我们的,我们就是我们就是我们就是我们就是我们就是我们就是我们就不会的,你就是我们,你就是我们就是我们就会会会会不得,我们就不会就是这

Kull, ...

Our tasks after the 1st National Conference of the Hungarian Voluntary Defense Federation. p. 145. RADIOTECHNIKA. Budapest Vol. 5, No. 7/8, July/Aug. 1955

SOURCE: East European Accessions List (EEAL) Library of Congress Vol. 5, No. 6, June 1956

KUN, J.

FUN, J. On the threshhold of 1956. p. 1.

The DE Dervotest 1925-type sound penerator. p. 2.

Vol. 6, No. 1, Jan. 1956.

EATLCTCCHNIVA
FLORMICCY
Fudepest, Hungary

So: East hurgeen Accession, Vol. 5, No. 2, May 1956